L Number	Hits	Search Text	DB	Time stamp
-	8090	(database or db or data-base or dbase) and 707/$.ccls.	USPAT	2003/08/07 11:09
-	159	((database or db or data-base or dbase) and 707/$.ccls.) and (data near1 backup)	USPAT	2002/11/21 13:07
-	13	(((database or db or data-base or dbase) and 707/$.ccls.) and (data near1 backup)) and (encrypt$4 same decrypt$4)	USPAT	2003/07/30 19:55
-	62	((("internet-based application service providers" or ASP$1).ti, clm, ab.) and 707/$.ccls.) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:04
-	322	(("internet-based application service providers" or ASP$1).ti, clm, ab.) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:43
-	70	(("internet-based application service providers" or ASP$1).ti, clm, ab. and (onsite adj backup)) and 707/$.ccls. and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:23
-	53	online adj backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:30
-	148	(("internet-based application service providers" or ASP$1).ti, clm, ab. and (onsite adj backup)) and (central near database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:53
-	18	(("internet-based application service providers" or ASP$1).ti, clm, ab. and (onsite adj backup)) same (central near database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:45
-	206	(("internet-based application service providers" or ASP$1).ti, clm, ab. and (onsite adj backup)) and (central or client same computer) with (transmit$4 or send) and (receiv$4 or stor$3) and (dat or record$2) and (backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 19:55
-	11973	(database or db or data-base or dbase) and 707/$.ccls.	USPAT; US-PGPUB	2003/07/30 19:56
-	83	((database or db or data-base or dbase) and 707/$.ccls.) and (backup) and (encrypt$3 and decrypt$3)	USPAT; US-PGPUB	2003/07/30 19:58
-	663	(("internet-based application service providers" or ASP$1).ti, clm, ab.) and (backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:43
-	268	(("internet-based application service providers" or ASP$1).ti, clm, ab.) and (backup) and (online)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:43
-	250	(("internet-based application service providers" or ASP$1).ti, clm, ab.) and (backup) and (online) and updat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:49
-	1214	client same backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:50

C:\APPS\EAST\Workspaces\09706651.wsp

-	8	(client same backup) and onsite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:51
-	13	onsite same backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/05 20:51
-	5894	(database or db or data-base or dbase) and (backup)	USPAT	2003/08/06 16:32
-	119	((database or db or data-base or dbase) and (backup)) and EMC	USPAT	2003/08/06 16:00
-	26	((((database or db or data-base or dbase) and (backup)) and EMC) and (@ad <= "19990709" or @rlad <= "19990709")) and (encrypt$3 and decrypt$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/06 15:57
-	105	(((database or db or data-base or dbase) and (backup)) and EMC) and (@ad <= "19990709" or @rlad <= "19990709")	USPAT	2003/08/06 16:45
-	20	((database or db or data-base or dbase) and (backup)) and EMC and (client same backup)	USPAT	2003/08/06 16:02
-	16	(((database or db or data-base or dbase) and (backup)) and EMC) and (@ad <= "19990709" or @rlad <= "19990709") and (client same backup)	USPAT	2003/08/06 16:02
-	13	(((database or db or data-base or dbase) and (backup)) and EMC) and (@ad <= "19990709" or @rlad <= "19990709") and ((back$3 adj up) same client)	USPAT	2003/08/06 16:07
-	127	(database or db or data-base or dbase) and ((back$3 adj2 up) same (client)) and (secur$4 or integrity)	USPAT	2003/08/06 16:34
-	10	(((database or db or data-base or dbase) and ((back$3 adj2 up) same (client)) and (secur$4 or integrity)) and (@ad <= "19990709" or @rlad <= "19990709")) and EMC	USPAT	2003/08/06 16:34
-	118	((database or db or data-base or dbase) and ((back$3 adj2 up) same (client)) and (secur$4 or integrity)) and (@ad <= "19990709" or @rlad <= "19990709")	USPAT	2003/08/06 16:40
-	2469	EMC and (@ad <= "19990709" or @rlad <= "19990709")	USPAT	2003/08/06 17:46
-	11	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (back$3 adj2 up) with (safe or secure or integrity)	USPAT	2003/08/06 20:24
-	11	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (back$3 adj2 up)and (encrypt$3 or decrypt$3)	USPAT	2003/08/06 16:49
-	4	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and ((back$3 adj2 up) and (online or internet)) and (encrypt$3 or decrypt$3)	USPAT	2003/08/06 16:57
-	11	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (client same (back$3 adj2 up)) and (online or internet)	USPAT	2003/08/06 16:59
-	176	(client same (back$3 adj2 up)) and (online or internet)	USPAT	2003/08/06 17:09
-	38	(client same (back$3 adj2 up)) and (online or internet) and (encrypt$3 or decrypt$3)	USPAT	2003/08/06 17:29
-	50	(client same (back$3 adj2 up)) and (encrypt$3 or decrypt$3)	USPAT	2003/08/06 17:45
-	304	(client same (back$3 adj2 up))	USPAT	2003/08/06 17:45
-	2	(online adj2 (back$3 adj2 up)) and (@ad <= "19990709" or @rlad <= "19990709")	USPAT	2003/08/06 17:47

-	1439	(central or client same computer) with (transmit$4 or send) and (receiv$4 or stor$3) and (dat or record$2) and (backup)	USPAT	2003/08/06 17:49
-	2	((((database or db or data-base or dbase) and (backup)) and EMC) and (@ad <= "19990709" or @rlad <= "19990709") and ((back$3 adj up) same client)) and ((central or client same computer) with (transmit$4 or send) and (receiv$4 or stor$3) and (dat or record$2) and (backup))	USPAT	2003/08/06 17:49
-	191	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (back$3 adj2 up)	USPAT; US-PGPUB	2003/08/06 20:29
-	177	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (back$3 adj2 up)	USPAT	2003/08/06 20:32
-	23	(EMC and (@ad <= "19990709" or @rlad <= "19990709")) and (back$3 adj2 up).ab.	USPAT	2003/08/06 20:32
-	1	6574733.pn.	USPAT	2003/08/07 13:07
-	1	6360330.pn.	USPAT	2003/08/07 11:24